

BUKTI KORESPONDENSI

ARTIKEL JURNAL INTERNASIONAL BEREPUTASI

Judul Artikel : Manufacturing Natural Soap-Base (Multiclean) With The Addition Of Wuluh starfruit extraction (Averrhoa)

Jurnal : International Journal Of Advanced and Applied Sciences (IJAAS)
volume 11 nomor 9 (2024) page 17 - 22

Penulis : Hamsina, Hamsina ; Ifa Safira; Dyah Ekowatiningsih ;
Ruslan Hasani; M.Tang ; Hermawati ; Granita

No.	Perihal	Tanggal
1.	Terima kasih telah mengirimkan naskah Anda ke International Journal Of Advanced and Applied Sciences (IJAAS) naskah anda berjudul “ Manufacturing natural soap-base (Multiclean) with the addition of wuluh starfruit extraction (Averrhoa)”	29 April 2024
2.	<p>International Journal Of Advanced and Applied Sciences</p> <p>IJAAS-240304 - Manufacturing natural soap-base (Multiclean) with the addition of wuluh starfruit extraction (Averrhoa)</p> <p>Selanjutnya setelah penyerahan naskah Anda, saya dengan senang hati memberitahukan bahwa naskah tersebut telah ditinjau dan diterima untuk diterbitkan dalam International Journal of Advanced and Applied Sciences edisi berikutnya.</p> <p>Terlampir adalah komentar pengulas. Harap mengambil tindakan yang tepat dalam memodifikasi naskah Anda sambil memberikan kami surat tanggapan untuk setiap poin yang muncul.</p> <p>Makalah ini akan muncul di edisi jurnal mendatang. Anda akan diberitahu tentang tanggal publikasi pada waktunya. Bukti halaman akan dikirimkan melalui email kepada Anda untuk diperiksa, kira-kira enam minggu setelah menerima makalah Anda yang telah dimodifikasi.</p>	7 Juni 2024
3.	<p>Penulis yang terhormat,</p> <p>Silakan kirimkan kepada kami naskah Anda yang telah dimodifikasi berdasarkan komentar sambil memberikan kami surat tanggapan untuk setiap poin yang muncul dalam waktu 1 bulan.</p> <p>Selain itu, diharuskan mengunduh templat jurnal dari pedoman penulis dan memodifikasi naskah secara ketat berdasarkan pedoman tersebut</p> <p>Salam,</p> <p>Cheng-Ta Yeh, BSc PhD DEng Pemimpin Redaksi, International Journal Of Advanced and Applied Sciences http://www.science-gate.com/IJAAS.html</p>	16 Juni 2024

4.	<p>Silakan kirimkan kepada kami naskah Anda yang telah dimodifikasi berdasarkan komentar sambil memberikan kami surat tanggapan untuk setiap poin yang muncul</p> <p>Salam,</p> <p>Cheng-Ta Yeh, BSc PhD DEng Pemimpin Redaksi, International Journal Of Advanced and Applied Sciences http://www.science-gate.com/IJAAS.html</p> <p>RESPON LETTER</p> <p>Dear Mr. Cheng-Ta Yeh, BSc PhD DEng Editor-in-chief, International Journal of Advanced and Applied Sciences,</p> <p>Below we attach a response letter to the reviewer's results from our article with the title:</p> <p>“ Manufacturing Natural Soap-Base (<i>Multiclean</i>) With The Addition Of Wuluh Starfruit Extraction (<i>Averrhoa</i>)”</p> <p>Reviewer 1</p> <p>The novelty of the work is not clear. Answer author : The novelty in this research is a natural soap base made from starfruit which is healthy and environmentally friendly</p> <p>- It is not obvious what the main reference is and also the addition of the authors. Answer author : The main reference is a journal about natural soap base and the use of starfruit</p> <p>- The English level of the text must be significantly increased. Answer author : has been improved</p> <p>- The abstract section is not a good representative of the whole manuscript. The abstract should contain the purpose of the work, brief background, a comparison with other works, and stating the power and loss regarding other works. Answer author : Has been adjusted</p> <p>- Citation in the text and references, in the end, should be exactly based on the journal standards (Harvard Referencing Style). You can use the following address for more information: "http://www.citethisforme.com/harvard-referencing". Answer author : Has been adjusted</p> <p>- Above 80% of references must include valid DOIs. Answer author : Has been adjusted</p>	22 Juni 2024
----	--	--------------

<p>References are out of date. At least a decade old! Answer author : Already using the latest reference</p> <p>- Heading should be supported by proper numbering. Answer author : Has been adjusted</p> <p>- Figures and tables should be addressed before being located in the text. Answer author : Has been adjusted</p> <p>- A benchmarking should be added to your work. It means that you should evaluate your results by comparison with other published papers in the field. Answer author : Has been adjusted</p> <p>- The manuscript is not based on the journal template available in the author's guidelines. Answer author : already using the IJAAS template</p> <p>- Non-English References are not acceptable and must be replaced by international English references. Please do not translate the non-English references to English Answer author : already uses English references</p> <p>Reviewer 2. Manuscript titled "Manufacturing Natural Soap-Base (Multiclean) with the Addition of Wuluh Starfruit Extraction (Averrhoa)"</p> <p>1. Does the paper contribute to the body of knowledge? The paper does contribute to the existing body of knowledge by exploring the use of Wuluh starfruit extract in the production of natural soap, highlighting the potential environmental and skin-friendly benefits compared to conventional soaps that use synthetic surfactants. The study is aligned with current trends focusing on sustainable and biodegradable products, which are relevant in chemical and environmental engineering fields.</p> <p>2. Is the paper technically sound? Overall, the paper appears technically sound. The methodology is clearly outlined, and the experiments are designed to test the properties of the soap formulations systematically. Results are presented with sufficient data (e.g., foam stability, pH levels, moisture content, and free alkali content), supporting the claims made. However, the technical soundness could be improved by addressing the reproducibility of the results and possibly including a more in-depth statistical analysis to strengthen the conclusions drawn. Answer author : more in-depth statistical analysis</p> <p>3. Is the subject matter presented in a comprehensive manner? The subject matter is generally presented in a comprehensive manner, with a clear introduction to the problem, detailed descriptions of the methods used, and a thorough discussion of the results. The inclusion of organoleptic tests also provides insights into consumer preferences, which is valuable for product development. However, the manuscript could benefit from a clearer linkage between the literature review and the study's objectives, as well as a discussion on the limitations of the study.</p>	
--	--

	<p>Answer author : has been adjusted to review the literature and research objectives.</p> <p>4. Are the references provided applicable and sufficient? The references provided are applicable, covering relevant topics such as the properties of surfactants, the environmental impact of detergents, and the benefits of natural ingredients in soap production. The manuscript appears to rely on a balanced number of sources without over-referencing any particular work, which is ethically sound. However, the paper could benefit from more recent studies to ensure the literature review is up-to-date and comprehensive.</p> <p>Answer author : has been adapted to newer research to ensure an up-to-date and comprehensive review of the literature.</p> <p>5. Are there references that are not appropriate for the topic being discussed? All references appear appropriate for the topic discussed. There is no indication of irrelevant or excessively self-cited references, which aligns with ethical guidelines in scholarly publishing.</p> <p>6. Are the references up to date? While many references are relatively recent and relevant to the study, the field of environmentally friendly and natural product development is fast-evolving. It would enhance the manuscript's current relevance and credibility to include more studies from the past 3-5 years, especially those that discuss the latest advancements in natural soap formulations and the environmental impact of surfactants.</p> <p>Answer Author : includes more research from the last 3-5 years, especially addressing recent advances in natural soap formulation and the impact of surfactants on the environment.</p>	
5.	<p>Penulis yang terhormat,</p> <p>Naskah Anda telah dikirim ke tim produksi. Anda akan menerima bukti awal dalam 9 minggu.</p> <p>Salam,</p> <p>Cheng-Ta Yeh, BSc PhD DEng Pemimpin Redaksi, International Journal Of Advanced and Applied Sciences http://www.science-gate.com/IJAAS.html</p>	24 Juni 2024
6.	<p>MOHON JANGAN MENGUBAH SUBJEK EMAIL INI</p> <p>Penulis yang terhormat</p> <p>Bukti artikel Anda, yang akan diterbitkan di 'International Journal of Advanced and Applied Sciences', kini sudah siap dan terlampir.</p>	26 Agustus 2024

	<p>Mohon gunakan bukti ini hanya untuk memeriksa nama, afiliasi, penyusunan huruf, penyuntingan, kelengkapan, dan kebenaran teks, tabel, dan gambar. Untuk membantu Anda dalam hal ini, perubahan penyalinan telah disorot dengan warna merah dengan teks asli dalam kotak pop-up.</p> <p>Perhatikan bahwa setelah koreksi Anda diterima, artikel Anda telah selesai dan koreksi lebih lanjut tidak dapat dilakukan lagi. Perhatikan bahwa perubahan apa pun harus dilakukan dalam file pdf (bukti dapur) menggunakan Adobe Commenting Tools. Harap jangan mengirimkan kepada kami kiriman asli dengan perubahan. Gambar yang dibutuhkan harus dikirim dalam file format WORD terpisah atau dikirim dalam file gambar individual. Harap berikan ORCID penulis yang sesuai. Harap berikan kami sertifikat deklarasi (DI SINI) yang ditandatangani oleh semua penulis. Hanya modifikasi terbatas yang diperbolehkan pada tahap ini seperti modifikasi tipografi.</p> <p>Salam, Cheng-Ta Yeh, BSc PhD DEng Pemimpin Redaksi, International Journal Of Advanced and Applied Sciences http://www.science-gate.com/IJAAS.html</p>	
7.	<p>Penulis yang terhormat,</p> <p>Bukti Anda telah dikirim ke rumah penerbitan untuk publikasi akhir. Sekarang tersedia online di bagian "Artikel dalam Pers" di situs jurnal dan Anda dapat melacak antrean publikasi di sana (Jangan lupa untuk menyegarkan halaman agar perubahan terakhir muncul) yang cukup untuk semua jenis pekerjaan dan promosi akademik. Ini akan diterbitkan dalam Volume 11, Edisi 9, ID Artikel 7. Harap bersabar mungkin memakan waktu 2 bulan. Anda akan diumumkan Volume dan Edisinya setelah dipublikasikan. Harap dicatat bahwa artikel dengan penulis yang sama mungkin tidak mematuhi prosedur ini dan akan diterbitkan dalam terbitan berbeda.</p> <p>Salam,</p> <p>Cheng-Ta Yeh, BSc PhD DEng Pemimpin Redaksi, International Journal Of Advanced and Applied Sciences https://www.science-gate.com/IJAAS.html</p>	14 September 2024
8.	<p>Judul Artikel : Manufacturing Natural Soap-Base (<i>Multiclean</i>) With The Addition Of Wuluh Starfruit Extraction (<i>Averrhoa</i>)"</p> <p>Referensi: IJAAS-240304 Penulis yang terhormat, Dengan senang hati kami menginformasikan kepada Anda bahwa koreksi akhir terhadap bukti Anda telah dilakukan. Koreksi lebih</p>	12 Oktober 2024

lanjut tidak mungkin dilakukan lagi. Artikel Anda sekarang dipublikasikan secara online di:

<https://www.science-gate.com/IJAAS/2024/V11I9/1021833ijaas202409003.html>

Harap dicatat bahwa:

Akses ke teks lengkap artikel ini akan gratis berdasarkan kebijakan Akses Terbuka.

Tidak ada perubahan yang diperbolehkan pada konten yang dipublikasikan karena telah dipublikasikan dalam bentuk hard copy, disimpan secara digital, dan diserahkan ke Scopus dan Web of Science.

Salam,

Cheng-Ta Yeh, BSc PhD DEng

Pemimpin Redaksi,

International Journal Of Advanced and Applied Sciences

,

<http://www.science-gate.com/IJAAS.html>

Hamsinah. <hamsinah@universitasbosowa.ac.id>



Regarding your submission to IJAAS

1 pesan

IJAAS Journal <ijaas.submit@gmail.com>
Kepada: Hamsinah . <hamsinah@universitasbosowa.ac.id>

Sen, 29 Apr 2024 pukul 13.43

Dear Authors,

Thank you for submitting your manuscript to the International Journal of ADVANCED AND APPLIED SCIENCES (IJAAS).
Your manuscript entitled

"Manufacturing natural soap-base (Multiclean) with the addition of wuluh starfruit extraction (Averrhoa)"

has been received by IJAAS and assigned manuscript number

IJAAS-240304

(Please use the number for all upcoming communications).

Meanwhile, it is highly appreciated if you could suggest 2 possible reviewers (with their academic email addresses) in the area of your manuscript field. Note that, suggested reviewers may not be invited as reviewers but help us find proper reviewers.

NOTE:

- IJAAS holds indexing in both the Web of Science (WoS JIF 0.5) and Scopus (Cite Score 1.0).
- As stated on the journal website, the publication fee is **£720** (GBP: Pound Sterling). There is an extra charge of **£50** for each page of more than 15.
- Please confirm that you are ready to pay the publication fee upon probable acceptance to process your manuscript further.
- It is required to provide us with the scientific discipline of your manuscript. You can use the file [here](#).
- In your next publications in other Web of Science and Scopus journals (Not IJAAS), If you cite any IJAAS papers, you can publish a manuscript free of charge in IJAAS for every 14 citations in two papers or multiple papers. Also, you may receive a partial discount on citations less than 14.

Best Regards,
Cheng-Ta Yeh, BSc PhD DEng
Editor-in-chief,
International Journal of Advanced and Applied Sciences,
<http://www.science-gate.com/IJAAS.html>

On Fri, Jun 7, 2024 at 6:33 AM IJAAS Journal <ijaas.submit@gmail.com> wrote:

Dear Author(s),

International Journal of Advanced and Applied Sciences

IJAAS-240304 -"Manufacturing natural soap-base (Multiclean) with the addition of wuluh starfruit extraction (Averrhoa)"

Further to the submission of your manuscript, I am pleased to advise that it has been reviewed and **accepted for publication** in the International Journal of Advanced and Applied Sciences' next issues.

Attached are the reviewers' comments. Please take proper measures in modifying your manuscript while providing us with a response letter to each point that arisen.

The paper will appear in the forthcoming issues of the journal. You will be advised of the publication date in due course. Page proofs will be emailed to you for checking, approximately six weeks after receiving your modified paper.

IJAAS Journal <ijaas.submit@gmail.com>
Kepada: Hamsinah . <hamsinah@universitasbosowa.ac.id>

Min, 16 Jun 2024 pukul 04.50

Dear Authors,

The status of your invoice is paid now.

Please send us your modified manuscript based on the comments while providing us with a **response letter** to each point arising within 1 month.

Also, it is required to download the journal template from the author's guidelines and modify the manuscript strictly based on it

Best Regards,

Cheng-Ta Yeh, BSc PhD DEng
Editor-in-chief,
International Journal of Advanced and Applied Sciences,
<http://www.science-gate.com/IJAAS.html>

[Kutipan teks disembunyikan]

RESPON LETTER

Dear

Mr. Cheng-Ta Yeh, BSc PhD DEng

Editor-in-chief,
International Journal of Advanced and Applied Sciences,

Below we attach a response letter to the reviewer's results from our article with the title:

" Manufacturing Natural Soap-Base (*Multiclean*) With The Addition Of Wuluh Starfruit Extraction (*Averrhoa*)"

Reviewer 1

The novelty of the work is not clear.

Answer author : The novelty in this research is a natural soap base made from starfruit which is healthy and environmentally friendly

- It is not obvious what the main reference is and also the addition of the authors.

Answer author : The main reference is a journal about natural soap base and the use of starfruit

- The English level of the text must be significantly increased.

Answer author : has been improved

- The abstract section is not a good representative of the whole manuscript. The abstract should contain the purpose of the work, brief background, a comparison with other works, and stating the power and loss regarding other works.

Answer author : Has been adjusted

- Citation in the text and references, in the end, should be exactly based on the journal standards (Harvard Referencing Style). You can use the following address for more information:

"<http://www.citethisforme.com/harvard-referencing>".

Answer author : Has been adjusted

- Above 80% of references must include valid DOIs.

Answer author : Has been adjusted

References are out of date. At least a decade old!

Answer author : Already using the latest reference

- Heading should be supported by proper numbering.

Answer author : Has been adjusted

- Figures and tables should be addressed before being located in the text.

Answer author : Has been adjusted

- A benchmarking should be added to your work. It means that you should evaluate your results by comparison with other published papers in the field.

Answer author : Has been adjusted

- The manuscript is not based on the journal template available in the author's guidelines.
Answer author : already using the IJAAS template

- Non-English References are not acceptable and must be replaced by international English references. Please do not translate the non-English references to English
Answer author : already uses English references

Reviewer 2.

Manuscript titled "Manufacturing Natural Soap-Base (Multiclean) with the Addition of Wuluh Starfruit Extraction (Averrhoa)"

1. Does the paper contribute to the body of knowledge?

The paper does contribute to the existing body of knowledge by exploring the use of Wuluh starfruit extract in the production of natural soap, highlighting the potential environmental and skin-friendly benefits compared to conventional soaps that use synthetic surfactants. The study is aligned with current trends focusing on sustainable and biodegradable products, which are relevant in chemical and environmental engineering fields.

2. Is the paper technically sound?

Overall, the paper appears technically sound. The methodology is clearly outlined, and the experiments are designed to test the properties of the soap formulations systematically. Results are presented with sufficient data (e.g., foam stability, pH levels, moisture content, and free alkali content), supporting the claims made. However, the technical soundness could be improved by addressing the reproducibility of the results and possibly including a more in-depth statistical analysis to strengthen the conclusions drawn.

Answer author : more in-depth statistical analysis

3. Is the subject matter presented in a comprehensive manner?

The subject matter is generally presented in a comprehensive manner, with a clear introduction to the problem, detailed descriptions of the methods used, and a thorough discussion of the results. The inclusion of organoleptic tests also provides insights into consumer preferences, which is valuable for product development. However, the manuscript could benefit from a clearer linkage between the literature review and the study's objectives, as well as a discussion on the limitations of the study.

Answer author : has been adjusted to review the literature and research objectives.

4. Are the references provided applicable and sufficient?

The references provided are applicable, covering relevant topics such as the properties of surfactants, the environmental impact of detergents, and the benefits of natural ingredients in soap production. The manuscript appears to rely on a balanced number of sources without over-referencing any particular work, which is ethically sound. However, the paper could benefit from more recent studies to ensure the literature review is up-to-date and comprehensive.

Answer author : has been adapted to newer research to ensure an up-to-date and comprehensive review of the literature.

5. Are there references that are not appropriate for the topic being discussed?

All references appear appropriate for the topic discussed. There is no indication of irrelevant or excessively self-cited references, which aligns with ethical guidelines in scholarly publishing.

6. Are the references up to date?

While many references are relatively recent and relevant to the study, the field of environmentally friendly and natural product development is fast-evolving. It would enhance the manuscript's current relevance and credibility to include more studies from the past 3-5 years, especially those that discuss the latest advancements in natural soap formulations and the environmental impact of surfactants.

Answer Author :

includes more research from the last 3-5 years, especially addressing recent advances in natural soap formulation and the impact of surfactants on the environment.

IJAAS Journal <ijaas.submit@gmail.com>
Kepada: Hamsinah . <hamsinah@universitasbosowa.ac.id>

Sab, 22 Jun 2024 pukul 04.12

Please send us your modified manuscript based on the comments while providing us with a **response letter** to each point arising

Best Regards,

Cheng-Ta Yeh, BSc PhD DEng
Editor-in-chief,
International Journal of Advanced and Applied Sciences,
<http://www.science-gate.com/IJAAS.html>

[Kutipan teks disembunyikan]

IJAAS Journal <ijaas.submit@gmail.com>
Kepada: Hamsinah . <hamsinah@universitasbosowa.ac.id>

Sen, 24 Jun 2024 pukul 13.52

Dear Authors,

Your manuscript has been sent to the production team.
You will receive the early proofs in 9 weeks.

Best Regards,

Cheng-Ta Yeh, BSc PhD DEng
Editor-in-chief,
International Journal of Advanced and Applied Sciences,
<http://www.science-gate.com/IJAAS.html>

[Kutipan teks disembunyikan]



Proofs of [IJAAS-240304]

11 pesan

IJAAS Journal <ijaas.submit@gmail.com>
Kepada: Hamsinah . <hamsinah@universitasbosowa.ac.id>

Sen, 26 Agu 2024 pukul 12.31

PLEASE DO NOT ALTER THE SUBJECT LINE OF THIS E-MAIL

Dear Authors

The proof of your article, to be published in the 'International Journal of Advanced and Applied Sciences,' is now ready and attached.

Please use this proof only for checking the names, affiliations, typesetting, editing, completeness, and correctness of the text, tables, and figures. To assist you with this, copy-editing changes have been highlighted in red with the original text in a pop-up box.

Note that once your corrections have been received, your article is finalized and any further correction is no longer possible.

Note that any changes should be done in pdf file (galley proof) using Adobe Commenting Tools. Please do not send us the original submission with changes.

Needed figures should be sent in a separate WORD format file or be sent in individual image files.

Please provide the corresponding author ORCID.

Please provide us with the declaration certificate (HERE) signed by all the authors.

Only limited modifications are allowed at this stage such as Typographical ones.

Best Regards,
Cheng-Ta Yeh, BSc PhD DEng
Editor-in-chief,
International Journal of Advanced and Applied Sciences,
<http://www.science-gate.com/IJAAS.html>

This is not a final draft. Please do not suggest layout modifications.
Only provide your answers in the red boxes we put. Unless figure or table or formula requests.
Abstract, and keywords are modified.



Manufacturing natural soap-base (*Multiclean*) with the addition of wuluh starfruit extraction (*Averrhoa*)



1- starfruit or star fruit?

Hamsina Hamsina^{1,*}, Ifa Safira², Dyah Ekowatiningsih³, Ruslan Hasani³, M. Tang¹, Hermawati Hermawati¹, Granita Granita¹

¹Department of Chemical Engineering, Universitas Bosowa, Indonesia

²Department of Natural Science Education, Universitas Bosowa, Indonesia

³Department of Nurshing, Makassar Ministry of Health Polytechnic, Indonesia

2- Provide city for each affiliation

ARTICLE INFO

Article history:

Received xx

Received in revised form

xx

Accepted xx

Keywords:

Starfruit extract

Natural soap

Citric acid

Surfactant

Foam stability

ABSTRACT

Starfruit extract is used as a base for making natural soap that is more environmentally friendly and beneficial for health. The aim of this study is to identify the optimal conditions for adding starfruit extract to natural soap production, which involves citric acid and surfactant components. The method involves maceration and extraction of starfruit to obtain citric acid by immersing it in 80% ethanol. The soap is produced using a hot process at temperatures between 70-80°C with three formulas: F1 (200:200:10), F2 (225:175:15), and F3 (250:150:20), representing different ratios of virgin coconut oil (VCO), olive oil, and starfruit extract, respectively. Potassium hydroxide (KOH) is used as an alkali at a concentration of 30%. After the soap is made, MES (a plant-based surfactant), sodium citrate (Na₃C₆H₅O₇) as a preservative, and sodium bicarbonate (NaHCO₃) as a cleanser are added. Testing of the three soap formulas showed they all meet Indonesian National Standards (SNI). Among 20 respondents, F1 was rated the highest in terms of color, scent, and softness. It had 83% foam stability, 0.85% moisture content, a pH of 8, and 0.001% free alkali content. These results suggest that consumer preference is influenced by the starfruit extract content.

© 2024 The Authors. Published by IASE. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

Soap consists of sodium or potassium compounds which can be fatty acids from vegetable oils or animal fats in solid, soft, or liquid form, and is foam (Yao et al., 2019). The use of soap is very high in households because the use of soap varies depending on the type of furniture. One household needs dish soap, laundry soap, floor cleaner, WC cleaner, and glass cleaner, which raises the cost of purchasing different cleaning soaps (Speiser et al., 2021). The process of making soap involves a saponification reaction, in which the base hydrolyzes fatty acids to produce glycerin and raw soap, which is subsequently reprocessed until it meets the required quality standards for use (Sukeksi et al., 2021).

Quality liquid detergents contain one to more types of synthetic surfactants, namely SLS. SLS can cause skin injury if used directly on the skin continuously and for a long period of time (Klimaszewska et al., 2022). The detergent test results showed that marketplace detergents fulfill standard, but the pH test parameter yielded results that did not match laundry soap quality, and the presence of surfactants could lower a medium's surface tension (Wołowicz et al., 2022). Surfactants have a negative impact on the environment because they are difficult to degrade naturally by microorganisms (Nagtode et al., 2023).

Compared to other vegetable oils like corn, soybean, palm, sunflower, and so on, virgin coconut oil, or VCO, is licenmonitored with the benefits of high molecular weight and saturated fatty acid content (Song et al., 2023). Soap made from VCO has the property of forming foam more easily in large quantities. VCO is a vegetable oil that has highly complex fatty acids and bioactive compounds in the form of minor components (Kurniawati and Paramita, 2023). The softness of the soap is impacted when using olive oil to make a natural soap base (Chandira et al., 2022). Olive oil's high oleic acid content is beneficial for skin health (González-Acedo

* Corresponding Author.

Email Address: hamsinah@universitasbosowa.ac.id (H. Hamsina)

<https://doi.org/xxx>

Corresponding author's ORCID

<https://orcid.org/xxx>

2313-626X/© 2024 The Authors. Published by IASE.

This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

et al., 2023). Its helps remove dead skin cells and moisturize flaky skin, olive oil that has been processed into soap is thought to be the best treatment for dry skin (Nuryanah, 2023). Additionally, olive oil can tighten wrinkled skin and lessen scars (Xie et al., 2024). Wuluh starfruit (provide reference) has a high citric acid content, it will be extracted in a Natural soap base and used as a mineral binder and deodorizer (Yoo et al., 2023). Citric acid is a compound that functions as a chelating agent in binding metal ions (Książek, 2023) and can clear the bathtub of dirt, clothing stains, water purifiers to overcome crusty pots and pans (Kurćubić. et al., 2024). Adding Wuluh starfruit can lessen the number of bacteria and colonies on dishes (Nasution et al., 2020). Star fruit has the highest saponin content. Natural surfactant, saponin is a compound that is like soap and is a secondary metabolite (Mursaliyeva et al., 2023). SLS is the most widely used ingredient in detergents. Long-term use of SLS continuously can irritate the skin (Leoty-Okomb et al., 2020). Because they are biodegradable, have low foaming, and strong detergency, vegetable oil surfactants have the advantage of being more environmentally friendly (Abdurrahman et al., 2023). In soap, MES (Methyl Ester Sulfonate) is a useful vegetable surfactant (Abd Maurad et al., 2020). Methyl Ester Sulfonate (provide reference) for texapone which is made from vegetable ingredients and is environmentally friendly (Qadariyah et al., 2021).

Soap is produced by the saponification process, which is the hydrolysis of fat into fatty acids and glycerol under alkaline conditions (Prieto Vidal et al., 2018). Moreover, depending on the requirements and preferences of the customers, there are additional supporting ingredients such as fragrances, sodium carbonate, sodium phosphate, and others (Mourelle et al., 2024). This study, research was conducted on Natural Soap-Base is made with as few chemicals as possible to ensure user safety. The recipe calls for a different ratio of star fruit extraction, olive oil, and virgin coconut oil (VCO), plus the addition of MES to replace synthetic surfactants. The physical, chemical, and organoleptic properties of the natural soap-base produced will be evaluated.

2. Methods

This research method uses the maceration method to obtain star fruit extract using ethanol solvent. Using the hot process method, the natural soap base is made from coconut and olive oils and enhanced with MES, sodium bicarbonate, and citrate. The step of sample preparation is: 1. Wuluh starfruit is sliced thinly after cleaning. 2. Dry in the sun until a steady weight (dry) has been attained. 3. After that, Wuluh starfruit is ground into a powder, and the resulting particles are utilized as study samples. The stage of extracting Wuluh starfruit: 1. Wuluh starfruit powder is soaked using 200 mL of ethanol for 3 x 24 hours. 2. Stir once every twenty-four

hours. 3. Next, a filter is added to the star fruit extract solution. 4. A rotary evaporator is used to concentrate the star fruit extract filtrate. 5. Calculate the concentrated extract from star fruit.

Stage of Natural Soap-Base Preparation: 1. Weigh formula's coconut and olive oils are blended and heated to 700 degrees Celsius. 2. Gradually add 95 grams of KOH per formula into the oil after diluting it with distilled water. 4. Continue stirring until traces appear. 5. Check the pH with phenolphthalein; if it turns dark pink, the soap is not yet neutral. Cook the soap further and test the pH every hour. 6. You cook until it's clear. Next, combine 10 grams of MES with hot star fruit extract. 7. When the mixture reaches room temperature, add the diluted sodium carbonate and sodium citrate.

The foam stability test is the first of several testing phases. A scaled tube holding 10 ml of distilled water was filled with a 1 g sample of liquid soap, and the tube was sealed. After 20 seconds of shaking the tube, the height of the foam that forms is measured. Test for water content: The gravimetric method is used to determine the water content. One gram of the sample was weighed on a known-weight petri dish, and it was heated for two hours at 105 °C in a drying cabinet to maintain the weight.

A pH tester was used to measure the pH of 250 milliliters of Natural Soap-Base (provide reference) is to ascertain the acid-base content of soap formulations in accordance with SNI standards, specifically within the 8-11 range (SNI, 2017). The liquid soap sample for the next test, the free alkali test, weighs roughly 5g and is placed in a 250 ml goblet.

Then boiling stones, a few drops of phenolphthalein indicator solution, and 100 milliliters of 96% alcohol were added. After that, boil the bath for 30 minutes. After the solution turns purple, titrate it with an alcohol-based 0.1 N HCl solution until the precise purple color vanishes. organoleptic test in this manner: Organoleptic testing involves visually assessing 15 respondents to ascertain the scent, color, amount of foam, and softness of the hands following the use of Natural Soap-Base, which is formulated with star fruit extract.

3. Results

Making Natural Soap-base (Multiclean) with the addition of star fruit extract in different concentrations and using several complementary ingredients including Methyl Ester Sulfonate (MES) as a surfactant to remove dirt and produce foam in the product, Sodium Citrate (Na3C6H5O7) as a preservative and thickener, Sodium Bicarbonate as a cleanser and foam maker and distilled water as a solvent.

The prepared materials have undergone several quality tests, such as the organoleptic, free alkali, foam stability, pH, and water content tests. The purpose of this test is to ascertain whether the Natural Soap-base (Multiclean) preparation meets

the requirements set forth in the established liquid soap standards. Ten grams (F1), fifteen grams (F2), and twenty grams (F3) of star fruit extract were used in this investigation.



Fig. 1: Extraction Stage of Wuluh starfruit



Fig. 2: Natural soap-base formulation results of F3, F2, F1, respectively

3.1. Foam stability test

Because the foam content of soap is one of its draws, foam height testing attempts to measure the amount of foam produced. Because too much foam is used in soap, it can irritate the skin. For cleaning products, foam stability and foam formation speed are crucial factors.

When used, foam contributes to the cleaning action and gives soap its scent. It ranges from 60–90% based on good foam stability standards.




Table 1: Moisture content test results

No.	Sample	Starting weight sample (gr)	Final weight sample (gr)	Water content (%)
1.	F1	1,07	0,16	0,85
2.	F2	1,02	0,30	0,71
3.	F3	1,08	0,38	0,65

Fig. 3: Graph of foam stability values



Fig. 4: Graph of foam stability values

The obtained foam stability value exhibits a progressive tendency to increase, as depicted in the figure. The figure shows that more foam is produced in soaps with higher concentrations of star fruit extract. The saponin content of Wuluh starfruit plants, which indicates that these plants have the highest saponin content. Saponins are called natural surfactants because they are soap-like secondary metabolite compounds (Mursaliyeva et al., 2023)

It is a common misconception among consumers that high foam production indicates a high-quality soap, even though foam production is not always correlated with cleaning efficacy. The presence of surfactants, foam stabilizers, or soap-active ingredients affects the properties of the foam itself (Zhang et al., 2023). More stable foam is better than less or unstable foam. The presence of foaming agents can stabilize foam.

3.1.1. Moisture content test

It is necessary to measure the moisture content of an ingredient because water can have an impact on the final soap's quality. According to SNI 06-3532-1994 testing standards, laundry soap can have a maximum water content of 15%.



Fig. 5: Graph of moisture content values

The figure illustrates that the percentage of moisture content of increasing extract mass added. hygroscopic substances like MES are the source of this increased water content. The soap will shrink or run out more easily when used with more water in it (Chirani et al., 2021). The speed and concentration of the mixing have a major impact on the liquid soap's moisture content. This analysis of moisture content is equivalent to the calculation of moisture. It is estimated that when the experiment is run for two hours at 105 °C, the water in the soap evaporates, reducing the amount of water (moisture).

3.2. Degree of acidity (pH)

One of the standards for liquid soap quality is the pH test. This is since liquid soap comes into direct touch with the skin and may cause issues if its pH differs from that of the skin. The resulting soap's pH value is still within the range of pH 8–11, which is the range (Indonesian National Standard) for standard liquid soap that has been set. This means that the soap is safe to apply to skin because no skin irritation is anticipated at this range.




Fig. 6: Graph of acidity degree (pH) values

Star fruit contains acidic compounds, the average pH value at different concentrations of star fruit extract indicates that increase or become more acidic. The more star fruit extract added, the more acidic the soap produced. Although it does not usually cause skin irritation, the pH range of soap between 4 and 10.5 tends to cause changes in skin pH.

3.3. Free alkali content test

Free alkali analysis is a residue that does not react in soap formation. Free alkali tends to decrease due to the length of stirring and due to the water/soap ratio. This is due to the reaction of alkali with fatty acids contained in refined oil so that the saponification reaction is more perfect, which has an impact on reducing free alkali. The decrease in free alkali is also caused by the ratio of water/soap added because water can reduce the concentration of free alkali in soap. The SNI maximum standard of free alkali content in liquid soap is 0.1%.

Table 2: free Alkali content test results

No.	Natural formulation soap-base	V HCl (mL)	Alkali content free (%)
1.	F1	1,8	0,01
2.	F2	2,5	0,002
3.	F3	4	0,004




Fig. 7: Graph of free alkali content values

Excessive alkali content in formulations can lead to skin irritation and dryness. This is because surfactants were used in high concentrations. Citric acid can be added to dishwashing liquid soap preparations to achieve SNI-compliant alkali content values, thereby lowering excess alkali levels.

In this study, citric acid has been added through the extraction of Wuluh startfruit which has the

highest citric acid content so that the free alkali content in natural soap-base is far below the maximum value of 0.1%.




Fig. 9: Aroma organoleptic test chart

3.3. Organoleptic test color

An ingredient's quality is typically determined by several factors. Taste, texture, color, and nutritional value are some of these components. The color factor will be considered visually before other factors. When selecting an ingredient, color will be considered first. After aroma, color is the most alluring aspect of food or non-food items. Food colorings can boost a product's acceptance among consumers.




Fig. 8: Color organoleptic test chart

Based on the results of the color organoleptic test on 20 respondents, 13 respondents preferred the color of natural soap-base in formula 1 while formula 2 and formula 3 were preferred by 4 respondents each. This states that the impact of brown color produced from star fruit extraction is mostly disliked by respondents. The more composition of star fruit extraction in the formulation, the lower the respondents' interest in the soap. And vice versa, the lower the composition of star fruit extract that does not change the color of the soap has very much respondent interest.

3.4. Aroma organoleptic test

The results of star fruit extraction have an unpleasant aroma. This aroma greatly impacts the

natural soap base made with the addition of star fruit extraction. Essential oils are added to each formula with the same composition, so they have different aromas in each sample. 14 respondents gave scores on the aroma of formulation 1 and 6 respondents gave unfavorable scores on formulation 2. This states that the greater the composition of star fruit extract added to the sample, the more unpleasant the aroma that makes respondents less interested. The aroma of essential oil has more impact on giving a fragrant aroma to formulation 1 which contains the lowest amount of star fruit extract.

3.5. Foam organoleptic test

Foam is the main feature in the use of soap, both liquid and solid soap. The amount of foam produced in soap greatly impacts the level of consumer desire for soap products. Each consumer's opinion also varies on the amount of foam in soap.

The organoleptic test of the soap on 20 respondents resulted in Fig. 10.




Fig. 10: Foam organoleptic test chart

Based on the results of the physical test for foam stability, it was found that the more Wuluh starfruit extract there was in the soap, the more foam was produced.

The soap sample has a lot of foam in it as well. According to a graph in Figs. 12-14 respondents said they preferred soaps with a lot of foam because they believed it would improve the soap's high level of cleaning. The seven respondents who indicated that they preferred soap with a lot of foam scored the lowest because they were aware that a lot of foam could cause their skin to become dry or irritated.

However, the three sample formulas in this study can be verified as safe because they meet the Indonesian National Standard for foam height and stability percentage, meaning they are suitable for skin irritation-free cleansing.

3.6. Organoleptic test for soap softness

The soap softness test is a test conducted to determine the impact of soap on hand skin after the

use of natural soap-base. The graph of the test results can be seen in Fig. 11.




Fig. 11: Organoleptic test for soap softness

Out of all the formulations, formula 1 was selected by 14 respondents as the most gentle and comfortable for hand skin. This supports the theory regarding olive oil's effect on skin softness after use. Since Formulation 1 contains the most olive oil, this study can conclude that skin softness in natural soap-base users increases with the amount of olive oil in the soap.

4. Conclusion

In the research on the manufacture of Natural Soap-base with the addition of star fruit extraction, three soap formulas were produced. Formula 1, containing 200 grams of coconut oil, 200 grams of olive oil, and 10 grams of star fruit extraction, has the lowest foam stability of 83% but still meets SNI, which is 60–90, has the highest water content of up to 0.85% with a pH of 8, and the lowest free alkali content of 0.001%. In formula 2, which consists of 225 grams of coconut oil, 175 grams of olive oil, and 15 grams of star fruit extraction, the test results are 85% foam stability, 0.71% water content, pH 7, and 0.002% free alkali content.

Meanwhile, formula 3 with 250 grams of coconut oil, 150 grams of olive oil, and 20 grams of star fruit extract has a foam stability of up to 86%, the lowest water content with 0.65%, pH 7, and free alkali content of 0.004%. The three formulas have different laboratory test results but still meet the applicable SNI so that the respondents' organoleptic test is carried out to determine the level of consumer interest. Based on the results of organoleptic tests on 20 respondents, formula 1 has advantages in terms of color, aroma, and softness of soap. Formula 3 is much in demand in terms of the amount of foam produced. The optimal amount of water to add for each use of natural soap base can be calculated using the researcher's suggestion for the next study. Moreover, more research on Wuluh starfruit extraction can be conducted to obtain the highest possible saponin content, which will affect the amount of foam that is produced.

Compliance with ethical standards

Conflict of interest

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

References

- Abd Maurad Z, Abdullah LC, Anuar MS, Abdul Karim Shah NN, and Idris Z (2020). Preparation, characterization, morphological and particle properties of crystallized palm-based methyl ester sulphonates (MES) powder. *Molecules*, 25(11): 2629.
- Abdurrahman M, Kamal MS, Ramadhan R, Daniati A, Arsad A, Abdul Rahman AF, and Rita N (2023). Ecofriendly natural surfactants in the oil and gas industry: A comprehensive review. *ACS Omega*, 8(44): 41004-41021.
- Chandira RM, Lokeshwaran S, and Gladin SG (2022). Formulation and evaluation of herbal soap by using melt and pour method. *Indian Journal of Natural Sciences*, 13(72): 44244-44626.
- Chirani MR, Kowsari E, Teymourian T, and Ramakrishna S (2021). Environmental impact of increased soap consumption during COVID-19 pandemic: Biodegradable soap production and sustainable packaging. *Science of the Total Environment*, 796: 149013.
- Dianursanti D, Fransisca M, and Alifia KC (2020). The effect of adding citric acid on making antibacterial film-formed soap for hospital. In *AIP Conference Proceedings*, AIP Publishing, Bali, Indonesia, 2255(1).
- González-Acedo A, Ramos-Torrecillas J, Illescas-Montes R, Costela-Ruiz VJ, Ruiz C, Melguizo-Rodríguez L, and García-Martínez O (2023). The benefits of olive oil for skin health: study on the effect of hydroxytyrosol, tyrosol, and oleocanthal on human fibroblasts. *Nutrients*, 15(9): 2077.
- Klimaszewska E, Wieczorek D, Lewicki S, Stelmasiak M, Ogorzałek M, Szymański Ł, Tomasiuk R, Markuszewski I. (2022). Effect of new surfactants on biological properties of liquid soaps. *Molecules*, 27(17): 5425.
- Książek E (2023). Citric acid: properties, microbial production, and applications in industries. *Molecules*, 29(1): 22.
- Kurubić VS, Lević S, Pavlović V, Mihailović R, Nikolić A, Lukić M, Jovanović J, Danilović B, Milinković M, Oz F, and Heinz V (2024). Manufacture of low-na white soft brined cheese: effect of NaCl substitution with a combination of Na-K salts on proximate composition, mineral content, microstructure, and sensory acceptance. *Foods*, 13(9): 1381.
- Kurniawati Y and Paramita V (2022). Optimization of manufacturing liquid soap based on virgin coconut oil with a combination potassium hydroxide and ammonium hydroxide. *Journal of Vocational Studies on Applied Research*, 4(1): 7-12.

- Mourelle ML, Segura de Yebra J, Ayats J, Vitale M, and López Sánchez A (2024). Potential benefits of a cosmetic ingredient combining thermal spring water and diatom algae extract. *Cosmetics*, 11(2): 62.
- Mursaliyeva VK, Sarsenbek BT, Dzhakibaeva GT, Mukhanov TM, and Mammadov R (2023). Total content of saponins, phenols and flavonoids and antioxidant and antimicrobial activity of in vitro culture of *Allochrysa gypsophiloides* (Regel) Schischk compared to wild plants. *Plants*, 12(20): 3521.
- Nagtode VS, Cardoza C, Yasin HK, Mali SN, Tambe SM, Roy P, Singh K, Goel A, Amin PD, Thorat BR, and Cruz JN (2023). Green surfactants (biosurfactants): A petroleum-free substitute for Sustainability— Comparison, applications, market, and future prospects. *ACS Omega*, 8(13): 11674-11699.
- Nasution M, Simatupang Y, and Dennis D (2020). Effectiveness of star fruit leaf extract on the growth of streptococcus sanguinis: An in vitro study. *World Journal of Dentistry*, 11(3): 196-200.
- Nuryanah N (2023). Use of olive oil as an effort to prevent damage to skin integrity: A case study. *Indonesian Journal of Community Development*, 3(1): 37-49.
- Prieto Vidal N, Adeseun Adigun O, Pham TH, Mumtaz A, Manful C, Callahan G, Stewart P, Keough D, and Thomas RH (2018). The effects of cold saponification on the unsaponified fatty acid composition and sensory perception of commercial natural herbal soaps. *Molecules*, 23(9): 2356.
- Song C, Lin Y, Hong P, Liu H, and Zhou C (2022). Compare with different vegetable oils on the quality of the *Nemipterus virgatus* surimi gel. *Food Science and Nutrition*, 10(9): 2935-2946.
- Speiser E, Pinto Zipp G, DeLuca DA, Cupertino AP, Arana-Chicas E, Gourni Paleoudis E, Kligler B, and Cartujano-Barrera F (2021). Knowledge, attitudes and behaviors of Latinas in cleaning occupations in northern New Jersey: A cross-sectional mixed methods study. *Journal of Occupational Medicine and Toxicology*, 16: 1-12.
- Sukeksi L, Grace M, and Diana V (2021). Characterization of the chemical and physical properties of bar soap made with different concentrations of bentonite as a filler. *International Journal of Technology*, 12(2): 263-274.
- Wolowicz A, Staszak K, and Hubicki Z (2022). A comprehensive analysis of selected anionic surfactants behaviour in aqueous systems containing metal ions and inorganic acid. *Water*, 14(22): 3676.
- Xie M, Jiang Z, Lin X, and Wei X (2024). Application of plant extracts cosmetics in the field of anti-aging. *Journal of Dermatologic Science and Cosmetic Technology*, 1(2): 100014.
- Yao RT, Langer ER, Leckie A, and Tremblay LA (2019). Household preferences when purchasing handwashing liquid soap: A choice experiment application. *Journal of Cleaner Production*, 235: 1515-1524.
- Zhang H, Liang L, Xi H, Lin X, Li Z, and Jiao Y (2023). Effects of different types of stabilizers on the properties of foam detergent used for radioactive surface contamination. *Molecules*, 28(16): 6107.



Manufacturing Natural Soap-Base (*Multiclean*) With The Addition Of Wuluh Starfruit Extraction (*Averrhoa*)

Hamsina Hamsina ^{1*}, Ifa Safira ², Dyah Ekowatiningsih ³, Ruslan Hasani ³, M. Tang ¹, Hermawati ¹
Granita ¹

¹ Department of Chemical Engineering, Universitas Bosowa, 90231, Indonesia

² Department of Natural Science Education, Universitas Bosowa, 90231, Indonesia

³ Department of Nurshing, Makassar Ministry of Health Polytechnic, 90231 Indonesia

ARTICLE INFO

Article history:

Keywords: Natural Soap-base Wuluh starfruit VCO, MES Olive Oil

ABSTRACT

Natural Soap Base from starfruit is used as a soap base that is more environmentally friendly and beneficial for health. This study aims determine the optimum conditions for adding starfruit extract to the manufacture of natural base soap. which consists of citric acid and surfactant components. This Methode is maceration and extraction of star fruit to obtain citric acid content with 80% ethanol immersion and uses the *hot process* method at 70-800C in the manufacture of natural soap-base with 3 formulas, namely the ratio of VCO, olive oil and star fruit extraction respectively: F1 200:200:10, F2 225:175:15 and F3 250:150:20 with KOH concentration as an alkali of 30%. After obtaining the soap, MES was added as a vegetable surfactant, Na3C6H5O7 solution as a preservative and NaHCO3 as a cleanser. The results of the Natural Soap-base test of the three formulas meet SNI. Twenty respondents ranked F1 as having the best quality in terms of organoleptic color, scent, and softness of soap. It has 83% foam stability, 0.85% moisture content, pH 8, and 0.001% free alkali content. This indicates that consumer interest is influenced by star fruit extract.

© 2024 The Authors. Published by IASE. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

Soap consists of sodium or potassium compounds which can be fatty acids from vegetable oils or animal fats in solid, soft, or liquid form, and is foam (Richard T. Yao, et al., 2019). The use of soap is very high in households because the use of soap varies depending on the type of furniture. One household needs dish soap, laundry soap, floor cleaner, WC cleaner, and glass cleaner, which raises the cost of purchasing different cleaning soaps (Speiser E., et al., 2021) The process of making soap involves a saponification reaction, in which the base hydrolyzes fatty acids to produce glycerin and raw soap, which is subsequently reprocessed until it meets the required quality standards for use (Sukeksi L., et al., 2021).

Corresponding Author. Email Address: hamsinah@univeritasbosowa.ac.id (Hamsina Hamsina) The Authors. Published by IASE. This is an open access article under the CC BY-NC-ND licen

Quality liquid detergents contain one to more types of synthetic surfactants, namely SLS. SLS can cause skin injury if used directly on the skin continuously and for a long period of time (Klimaszewska E., et al 2023). The detergent test results showed that marketplace detergents fulfill standart, but the pH test parameter yielded results that did not match laundry soap quality, and the presence of surfactants could lower a medium's surface tension (Wołowicz A., et al., 2022). Surfactants have a negative impact on the environment because they are difficult to degrade naturally by microorganisms (Nagtode V.S et al (2023)

Compared to other vegetable oils like corn, soybean, palm, sunflower, and so on, virgin coconut oil, or VCO, is licenmonitored with the benefits of high molecular weight and saturated fatty acid content (Song C et al., 2023). Soapmade from VCO has the property of forming

foam more easily in large quantities. VCO is a vegetable oil that has highly complex fatty acids and bioactive compounds in the form of minor components (Kurniawati Y., et al., 2023). The softness of the soap is impacted when using olive oil to make a natural soap base. (Chandira M. R. et al., 2022). Olive oil's high oleic acid content is beneficial for skin health (Gonzalez - Acedo A., et al., 2023). It helps remove dead skin cells and moisturize flaky skin, olive oil that has been processed into soap is thought to be the best treatment for dry skin (Nuryanah., 2023). Additionally, olive oil can tighten wrinkled skin and lessen scars (Xiu M., 2024). Wuluh starfruit or Averrhoa has a high citric acid content, it will be extracted in a Natural soap base and used as a mineral binder and deodorizer (Yoo. J.W., et al., 2023). Citric acid is a compound that functions as a chelating agent in binding metal ions (Ewelina esk., et al., 2024) and can clear the bathtub of dirt, clothing stains, water purifiers to overcome crusty pots and pans (Vladimir .S.K., et al., 2024). Adding Wuluh starfruit can lessen the amount of bacteria and colonies on dishes (Nasution M., et al., 2020). Star fruit has the highest saponin content. Natural surfactant, saponin is a compound that is similar to soap and is a secondary metabolite (Mursaliyeva. V. K., et al., 2023). SLS is the most widely used ingredient in detergents. Long-term use of SLS continuously can irritate the skin (Leoty-Okomb S., et al., 2020). Because they are biodegradable, have low foaming, and strong detergency, vegetable oil surfactants have the advantage of being more environmentally friendly (Darbi Abdurrahman M., et al., 2023). In soap, MES (Methyl Ester Sulfonate) is a useful vegetable surfactant (Abd Maurad Z., et al., 2020). Methyl Ester Sulfonate is used as a substitute for texapone which is made from vegetable ingredients and is environmentally friendly (Qadariyah L., et al., 2021).

Soap is produced by the saponification process, which is the hydrolysis of fat into fatty acids and glycerol under alkaline conditions (Vidal P.N et al., 2018). Moreover, depending on the requirements and preferences of the customers, there are additional supporting ingredients such as fragrances, sodium carbonate, sodium phosphate, and others (Mourelle L.M., et al., 2024). This study, research was conducted on Natural Soap-Base is made with as few chemicals as possible to ensure user safety. The recipe calls for a different ratio of star fruit extraction, olive oil, and virgin coconut oil (VCO), plus the addition of MES to replace synthetic surfactants. The physical, chemical, and organoleptic properties of the natural soap-base produced will be evaluated.

2. Methods

This research method uses the maceration method to obtain star fruit extract using ethanol solvent. Using the hot process method, the natural soap base is made from coconut and olive oils and enhanced with MES, sodium bicarbonate, and citrate. The step of sample preparation is: 1. Wuluh starfruit is sliced thinly after cleaning. 2. Dry in the sun until a steady weight (dry) has been attained. 3. After that, Wuluh starfruit is ground into a powder, and the resulting particles are utilized as study samples. The stage of extracting Wuluh starfruit: 1. Wuluh starfruit powder is soaked using 200 mL of ethanol for 3 x 24 hours. 2. Stir once every twenty-four hours. 3. Next, a filter is added to the star fruit extract solution. 4. A rotary evaporator is used to concentrate the star fruit extract filtrate. 5. Calculate the concentrated extract from star fruit.

Stage of Natural Soap-Base Preparation: 1. Weigh every ingredient in a different location. 2. Each formula's coconut and olive oils are blended and heated to 700 degrees Celsius. 3. Gradually add 95 grams of KOH per formula into the oil after diluting it with distilled water. 4. Continue stirring until traces appear. 5. Check the pH with phenolphthalein; if it turns dark pink, the soap is not yet neutral. Cook the soap further and test the pH every hour. 6. You cook until it's clear. Next, combine 10 grams of MES with hot star fruit extract. 7. When the mixture reaches room temperature, add the diluted sodium bicarbonate and sodium citrate.

The foam stability test is the first of several testing phases. A scaled tube holding 10 ml of distilled water was filled with a 1 g sample of liquid soap, and the tube was sealed. After 20 seconds of shaking the tube, the height of the foam that forms is measured. Test for water content: The gravimetric method is used to determine the water content. One gram of the sample was weighed on a known-weight petri dish, and it was heated for two hours at 105 °C in a drying cabinet to maintain the weight.

A pH tester was used to measure the pH of 250 milliliters of Natural Soap-Base. The objective is to ascertain the acid-base content of soap formulations in accordance with SNI standards, specifically within the 8–11 range (SNI, 2017). The liquid soap sample for the next test, the free alkali test, weighs roughly 5g and is placed in a 250 ml goblet.

Then boiling stones, a few drops of phenolphthalein indicator solution, and 100 milliliters of 96% alcohol were added. After that, boil the bath for 30 minutes. After the solution turns purple, titrate it with an alcohol-based 0.1 N HCl solution until the precise purple color vanishes. organoleptic test in this manner: Organoleptic testing involves visually assessing 15 respondents to ascertain the scent, color, amount of foam, and softness of the hands following the use of Natural Soap-Base, which is formulated with star fruit extract.

3. Results

Making Natural Soap-base (Multiclean) with the addition of star fruit extract in different concentrations and using several complementary ingredients including Methyl Ester Sulfonate (MES) as a surfactant to remove dirt and produce foam in the product, Sodium Citrate ($\text{Na}_3\text{C}_6\text{H}_5\text{O}_7$) as a preservative and thickener, Sodium Bicarbonate as a cleanser and foam maker and distilled water as a solvent.

The prepared materials have undergone a number of quality tests, such as the organoleptic, free alkali, foam stability, pH, and water content tests. The purpose of this test is to ascertain whether or not the Natural Soap-base (Multiclean) preparation meets the requirements set forth in the established liquid soap standards. Ten grams (F1), fifteen grams (F2), and twenty grams (F3) of star fruit extract were used in this investigation.



Fig1 : Extraction Stage of Wuluh startfruit



Fig 2 : Natural soap-base formulation results of F3, F2, F1, respectively.

3.1. Foam Stability Test

Because the foam content of soap is one of its draws, foam height testing attempts to measure the amount of foam produced. Because too much foam is used in soap, it can irritate the skin. For cleaning products, foam stability and foam formation speed are crucial factors.

When used, foam contributes to the cleaning action and gives soap its scent. It ranges from 60–90% based on good foam stability standards.



Fig3: Graph of foam height values




Fig 4: Graph of Foam Stability Values

The obtained foam stability value exhibits a progressive tendency to increase, as depicted in the figure. These findings demonstrate that more foam is produced in soaps with higher concentrations of star fruit extract. The saponin content of Wuluh starfruit plants, which indicates that these plants have the highest saponin content. Saponins are called natural surfactants because they are soap-like secondary metabolite compounds (Mursaliyeva VK, et al., 2023)

It is a common misconception among consumers that high foam production indicates a high-quality soap, despite the fact that foam production is not always correlated with cleaning efficacy. The presence of surfactants, foam stabilizers, or soap-active ingredients affects the properties of the foam itself (Zhang H et al., 2023). More stable foam is better than less or unstable foam. The presence of foaming agents can stabilize foam.

1) Moisture Content Test

It is necessary to measure the moisture content of an ingredient because water can have an impact on the final soap's quality. According to SNI 06- 3532-1994 testing standards, laundry soap can have a maximum water content of 15%.

Table 1. Moisture Content Test Results

No.	Sample	Starting Weight Sample (gr)	Final Weight Sample (gr)	Water Content(%)
1.	F1	1,07	0,16	0,85
2.	F2	1,02	0,30	0,71
3.	F3	1,08	0,38	0,65




Fig5: Graph of moisture content values

The figure illustrates that the percentage of moisture content obtained decreases with increasing extract mass added. Hygroscopic substances like MES are the source of this increased water content. The soap will shrink or run out more easily when used with more water in it. (Chirani MR., et al., 2021). The speed and concentration of the mixing have a major impact on the liquid soap's moisture content. This analysis of moisture content is equivalent to the calculation of moisture. It is estimated that when the experiment is run for two hours at 105 ° C, the water in the soap evaporates, reducing the amount of water (moisture).

3.2. Degree of Acidity (pH)

One of the standards for liquid soap quality is the pH test. This is due to the fact that liquid soap comes into direct touch with the skin and may cause issues if its pH differs from that of the skin. The resulting soap's pH value is still within the range of pH 8-11, which is the range specified by the SNI (Indonesian National Standard) for standard liquid soap that has been set. This means that the soap is safe to apply to skin because no skin irritation is anticipated at that pH (SNI, 1996).




Fig 6 : Graph of acidity degree (pH) values

Star fruit contains acidic compounds, the average pH value at different concentrations of star fruit extract indicates that the soap's pH tends to decrease or become more acidic. The more star fruit extract added, the more acidic the soap produced. Although it does not usually cause skin irritation, the pH range of soap between 4 and 10.5 tends to cause changes in skin pH (Tarun J., et., 2021)

3.3. Free Alkali Content Test

Free alkali analysis is a residue that does not react in soap formation. Free alkali tends to decrease due to the length of stirring and due to the water/soap ratio. This is due to the reaction of alkali with fatty acids contained in refined oil so that the saponification reaction is more perfect, which has an impact on reducing free alkali. The decrease in free alkali is also caused by the ratio of water/soap added because water can reduce the concentration of free alkali in soap. The SNI maximum standard of free alkali content in liquid soap is 0.1%.

Table 2. free Alkali Content Test Results

No.	Natural Formulation Soap-base	VHCl (mL)	Alkali Content Free (%)
1.	F1	1,8	0,01
2.	F2	2,5	0,002
3.	F3	4	0,004




Fig 7: Graph of free alkali content values

Excessive alkali content in liquid dish soap formulations can lead to skin irritation and dryness. This is because surfactants were used in high concentrations. Citric acid can be added to dishwashing liquid soap preparations to achieve SNI-compliant alkali content values, thereby lowering excess alkali levels (Dianursanti, et al., 2020).

In this study, citric acid has been added through the extraction of Wuluh startfruit which has the highest citric acid content so that the free alkali content in natural soap-base is far below the maximum value of 0.1%.

3.4. Organoleptic Test Color

An ingredient's quality is typically determined by a number of factors. Taste, texture, color, and nutritional value are some of these components. The color factor will be taken into account visually before other factors. When selecting an ingredient, color will be taken into account first. After aroma, color is the most alluring aspect of food or non-food items. Food colorings can boost a product's acceptance among consumers..




Fig 8: Color Organoleptic Test Chart

Based on the results of the color organoleptic test on 20 respondents, 13 respondents preferred the color of natural soap-base in formula 1 while formula 2 and formula 3 were preferred by 4 respondents each. This states that the impact of brown color produced from star fruit extraction is mostly disliked by respondents. The more composition of star fruit extraction in the formulation, the lower the respondents' interest in the soap. And vice versa, the lower the composition of star fruit extract that does not change the color of the soap has very much respondent interest.



Fig 9: Aroma Organoleptic Test Chart

3.5. Aroma Organoleptic Test

The results of star fruit extraction have an unpleasant aroma. This aroma greatly impacts the natural soap base made with the addition of star fruit extraction. Essential oils are added to each formula with the same composition, so they have different aromas in each sample. 14 respondents gave good scores on the aroma of formulation 1 and all respondents gave unfavorable scores on formulation 2. This states that the greater the composition of star fruit extract added to the sample, the more unpleasant the aroma that makes respondents less interested. The aroma of essential oil has more impact on giving a fragrant aroma to formulation 1 which contains the lowest amount of star fruit extract.

3.6. Foam Organoleptic Test

Foam is the main feature in the use of soap, both liquid and solid soap. The amount of foam produced from soap greatly impacts the level of consumer desire for soap products. Each consumer's opinion also varies on the amount of foam in soap.

The organoleptic test of the soap on 20 respondents resulted in the following graph:




Fig 10: Foam Organoleptic Test Chart

Based on the results of the physical test for foam stability, it was found that the more Wuluh startfruit extract there was in the soap, the more stable the foam.

The soap sample has a lot of foam in it as well. According to a graph in Figure 12, 14 respondents said they preferred soaps with a lot of foam because they believed it would improve the soap's high level of cleaning. The seven respondents who indicated that they preferred soap with a lot of foam scored the lowest because they were aware that a lot of foam could cause their skin to become dry or irritated.

However, the three sample formulas in this study can be verified as safe because they meet the Indonesian National Standard for foam height and stability percentage, meaning they are suitable for skin irritation-free cleansing.

3.7. Organoleptic Test for Soap Softness

The soap softness test is a test conducted to determine the impact of soap on hand skin after the use of natural soap-base. The graph of the test results can be seen below:




Fig11: Organoleptic test for soap softness

Out of all the formulations, formula 1 was selected by 14 respondents as the most gentle and comfortable for hand skin. This supports the theory regarding olive oil's effect on skin softness after use. Since Formulation 1 contains the most olive oil, this study can conclude that skin softness in natural soap-base users increases with the amount of olive oil in the soap.

4. Conclusion

In the research on the manufacture of Natural Soap-base with the addition of star fruit extraction, three soap formulas were produced. Formula 1, containing 200 grams of coconut oil, 200 grams of olive oil, and 10 grams of star fruit extraction, has the lowest foam stability of 83% but still meets SNI, which is 60–90, has the highest water content of up to 0.85% with a pH of 8, and the lowest free alkali content of 0.001%. In formula 2, which consists of 225 grams of coconut oil, 175 grams of olive oil, and 15 grams of star fruit extraction, the test results are 85% foam stability, 0.71% water content, pH 7, and 0.002% free alkali content.

Meanwhile, formula 3 with 250 grams of coconut oil, 150 grams of olive oil, and 20 grams of star fruit extract has a foam stability of up to 86%, the lowest water content with 0.65%, pH 7, and free alkali content of 0.004%. The three formulas have different laboratory test results but still meet the applicable SNI so that the respondents' organoleptic test is carried out to determine the level of consumer interest. Based on the results of organoleptic tests on 20 respondents, formula 1 has advantages in terms of color, aroma, and softness of soap. Formula 3 is much in demand in terms of the amount of foam produced. The optimal amount of water to add for each use of natural soap base can be calculated using the researcher's suggestion for the next study. Moreover, more research on Wuluh starfruit extraction can be conducted to obtain the highest possible saponin content, which will affect the amount of foam that is produced..

Compliance with ethical standards

Conflict of interest

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Reference

- Chandira M R., et al (2022) 'Formulation and Evaluation of Herbal Soap by using Melt and Pour Method' *Indian Journal of Natural Sciences* Vol.13 / Issue 72 / June / 2022
- Chirani MR., et al., (2021) 'Environmental impact of increased soap consumption during COVID-19 pandemic: Biodegradable soap production and sustainable packaging' *Sci Total Environ.* 2021 Nov 20;796:149013. doi: 10.1016/j.scitotenv.2021.149013
- Darbi Abdurrahman M., et al., (2023) ' Ecofriendly Natural Surfactants in the Oil and Gas Industry: A Comprehensive Review.' *ACS Omega*. Cite This: <https://doi.org/10.1021/acsomega.3c04450>.
- Dianursanti., et al., (2020) 'The effect of adding citric acid on making antibacterial film-formed soap for hospital' *4th International Tropical Renewable Energy Conference 2019, i-TREC 2019*
- Ewelina esk., et al., (2024) 'Citric Acid: Properties, Microbial Production, and Applications in Industries' *molecules* 2024, 29(1), 22; <https://doi.org/10.3390/molecules29010022>
- Gonzalez - Acedo A., et al., (2023) 'The Benefits of Olive Oil for Skin Health: Study on the Effect of Hydroxytyrosol, Tyrosol, and Oleocanthal on Human Fibroblasts' *Nutrients* 15(9), 2077; <https://doi.org/10.3390/nu15092077>
- Klimaszewska E., et al (2022). Effect of New Surfactants on Biological Properties of Liquid Soaps' *Molecules*. doi: [10.3390/molecules27175425](https://doi.org/10.3390/molecules27175425)
- Kurniawati Y et al (2022) 'Optimization of Manufacturing Liquid Soap Based on Virgin Coconut Oil with a Combination of Potassium Hydroxide and Ammonium Hydroxide'. *Journal of Vocational Studies on Applied Research* Vol.3(3)2022:62-67, Doi: <http://dx.doi.org/10.14710/jvsar.v3i3.14463>

- Mourelle L.M., et al., (2024) 'Potential Benefits of a Cosmetic Ingredient Combining Thermal Spring Water and Diatom Algae Extract' *Cosmetics* 2024, 11(2), 62; <https://doi.org/10.3390/cosmetics11020062>
- Mursaliyeva. V. K., et al., (2023). Total Content of Saponins, Phenols and Flavonoids and Antioxidant and Antimicrobial Activity of In Vitro Culture of *Allochrysa gypsophiloides* (Regel) Schischk Compared to Wild Plants. *Plants* 2023, 12, 3521. <https://doi.org/10.3390/plants12203521>
- Nagtode V.S et al (2023)** 'Green Surfactants (Biosurfactants): A Petroleum-Free Substitute for Sustainability—Comparison, Applications, Market, and Future Prospects'. *ACS Omega*. 2023 Apr 4; 8(13): 11674–11699
- Nasution M., et al, (2020) 'Effectiveness of Star Fruit Leaf Extract on the Growth of *Streptococcus Sanguinis*: An In Vitro Study' *World Journal of Dentistry*, Volume 11 Issue 3 . DOI: 10.5005/jp-journals-10015-1731
- Nuryanah., (2023). Use of Olive Oil as an Effort to Prevent Damage to Skin Integrity: A Case Study' *Indonesian Journal of Community Development*, Volume (3) (2023) 37-49
- Richard T. Yao., et al (2019) . Household preferences when purchasing handwashing liquid soap: A choice experiment application' *Journal of Cleaner Production*. <https://doi.org/10.1016/j.jclepro.2019.07.002>.
- Song C et al (2022)** ' Compare with different vegetable oils on the quality of the *Nemipterus virgatus* surimi gel'. doi: [10.1002/fsn3.2889](https://doi.org/10.1002/fsn3.2889) 10(9): 2935–2946
- Speiser E., et. al (2021) 'Knowledge, attitudes and behaviors of Latinas in cleaning occupations in northern New Jersey: a cross-sectional mixed methods study 'Speiser et al. *Journal of Occupational Medicine and Toxicology* <https://doi.org/10.1186/s12995-021-00343-x> Cartujano-Barrera r. Vol. 1. No. 2
- Sukeksi L . et al. (2021)' Characterization of the Chemical and Physical Properties of Bar Soap Made with Different Concentrations of Bentonite as a Filler. *International Journal of Technology* doi: [10.14716/ijtech.v1i2i2.4130](https://doi.org/10.14716/ijtech.v1i2i2.4130) 12(2) 263-274
- Tarun J ., et al ., (2021)'Evaluation of pH of Bathing Soaps and Shampoos for Skin and Hair Care ' *Dermatol Ther*. 2021 May;34(3):e14870. doi: [10.1111/dth.14870](https://doi.org/10.1111/dth.14870). Epub 2021 Mar 10
- Vidal P.N., et al.,(2018) 'The Effects of Cold Saponification on the Unsaponified Fatty Acid Composition and Sensory Perception of Commercial Natural Herbal Soaps' . *Molecules* 2018, 23, 2356; doi:[10.3390/molecules23092356](https://doi.org/10.3390/molecules23092356)
- Vladimir S. Kurćubić., et al., (2024) 'Manufacture of Low-Na White Soft Brined Cheese: Effect of NaCl Substitution with a Combination of Na-K Salts on Proximate Composition, Mineral Content, Microstructure, and Sensory Acceptance. *Foods* 2024, 13(9), 1381; <https://doi.org/10.3390/foods13091381>
- Woloxwiz A., et al., (2022)' A Comprehensive Analysis of Selected Anionic Surfactants Behaviour in Aqueous Systems Containing Metal Ions and Inorganic Acid' 14, 3676. <https://doi.org/10.3390/w14223676>
- Xiu M., et al., (2024) ' Application of plant extracts cosmetics in the field of anti-aging' *Journal of Dermatologic Science and Cosmetic Technology* <https://doi.org/10.1016/j.jdsct.2024.100014>
- Zhang H et al., (2023)' Effects of Different Types of Stabilizers on the Properties of Foam Detergent Used for Radioactive Surface Contamination' *olecules* 2023, 28(16), 6107; <https://doi.org/10.3390/molecules28166107>

IJAAS Journal <ijaas.submit@gmail.com>
Kepada: Hamsinah . <hamsinah@universitasbosowa.ac.id>

Sab, 14 Sep 2024 pukul 18.44

Dear Authors,

Your proof has been sent to the publication house for the final publication.
It is now available online under the "Articles in Press" section of the journal website and you may track the publication queue there (Do not forget to refresh the page for the last changes to show up) which is sufficient for all kinds of job and academic promotions.
It will be published in Volume 11, Issue 9, Article ID 7.
Please be patient it may take 2 months. You will be announced the Volume and Issue upon publication.
Please note that articles with the same authors may not obey this procedure and will be published in different issues.

Best Regards,

Cheng-Ta Yeh, BSc PhD DEng
Editor-in-chief,
International Journal of Advanced and Applied Sciences,
<https://www.science-gate.com/IJAAS.html>

[Kutipan teks disembunyikan]



Article tracking [IJAAS-240304] - Online publication complete

2 pesan

IJAAS Journal <ijaas.submit@gmail.com>
Kepada: Hamsinah . <hamsinah@universitasbosowa.ac.id>

Sab, 12 Okt 2024 pukul 20.33

Article title: Manufacturing natural soap-base (Multiclean) with the addition of wuluh starfruit extraction (Averrhoa)

Reference: IJAAS-240304

Dear Authors,

We are pleased to inform you that the final corrections to your proofs have been made. Further corrections are no longer possible.
Your article is now published online at:
<https://www.science-gate.com/IJAAS/2024/V11I9/1021833ijaas202409003.html>

Please note that:

1. Access to the full text of this article will be free based on the Open Access policy.
2. No changes are allowed in published content as they have been published in hard copy, digitally preserved, and submitted to the Scopus and Web of Science.
3. In your subsequent publications in other Web of Science or Scopus journals, If you cite any IJAAS papers, you can publish a manuscript free of charge in IJAAS for every 14 citations in two papers or multiple papers. Also, you may receive a partial discount for citations less than 14.

Best Regards,

Cheng-Ta Yeh, BSc PhD DEng
Editor-in-chief,
International Journal of Advanced and Applied Sciences,
<http://www.science-gate.com/IJAAS.html>