



MEMBANGUN SIKAP KEILMIAHAN, PENDEKATAN & TEKNIK PENYAJIAN **PENULISAN ARTIKEL ILMIAH**


MURSHAL MANAF

KPS DOKTOR (S3) PERENCANAAN WILAYAH DAN KOTA - UNIBOS

Sikap keilmiahan dan pencarian kebenaran ...

1. Pendekatan Unscientific
2. Penemuan secara kebetulan
3. Penemuan secara *trial and error*
4. Penemuan melalui otoritas
5. Pendekatan kritik-rasional & scientific research
6. Berpikir kritis-rasional
 - Berpikir analitis
 - Berpikir sintesis
7. Kebenaran melalui penelitian ilmiah

Deduktif dan Induktif = *reflective thinking*



reflective of thinking...

- 1. *The felt need*,** adanya suatu kebutuhan dan mengungkapkannya
 - 2. *The problem*,** menetapkan masalah : merumuskan, menempatkan dan membatasi masalah kebutuhan tsb. Bagaimana bentuknya serta bagaimana pemecahannya.
 - 3. *The hypothesis*,** jawaban sementara krn hanya mampu berteori dan berhipotesis berdasarkan pengalaman2
 - 4. *Collection of data as avidance*,** merekam data untuk pembuktian *hypothesis* dilengkapi kesimpulan (mendukung atau menolak *hypothesis*)
 - 5. *Concluding belief*,** membuat kesimpulan yang diyakini kebenarannya
 - 6. *General value of the conclusion*,** memformulasikan kesimpulan berlaku umum masa sekarang dan masa datang.
-



design the attitude of the research

- 1. Objective, faktual;** peneliti harus memiliki sikap objektif dan peneliti memulai berdasarkan fakta...
 - 2. Open, fair, responsible;** peneliti harus bersikap terbuka terhadap saran, kritik dan perbaikan; wajar, jujur dan dapat dipertanggungjawabkan secara ilmiah...
 - 3. Curius; wanting to know.** Sikap sllu ingin tahu, haus akan pengetahuan2 baru, peka thdp informasi dan data.
- 

Researchers must be able ...


1. ***Think, critically, systematically;*** peneliti harus memiliki wawasan, kritis dan berpikir sistematis...
2. ***Able to create, innovative;*** peneliti harus bermampu mencipta, menemukan, membuat kebaharuan temuan...
3. ***Communicated affectivity;*** peneliti mampu berkomunikasi dan memengaruhi pihak lain...
4. ***Able to identify and formulate problem clearly,*** mampu mengenal dan merumuskan masalah dengan jelas...
5. ***View a problem in wider context;*** mampu melihat suatu masalah dalam konteks luas karena suatu masalah tidak berdiri sendiri.

DEDIKASI : dibutuhkan ilmu dan pengetahuan lainnya sbg pelengkap, statistika dan kuantitatif, sosial responden dan lingkungan kemasayarakatan, team work, etik dan norma dan kebudayaan seluasnya


DEDIKASI : faktor pribadi dan interes pribadi = kredibilitas (pembeda antarpeneliti), objek teliti sama, hasilnya → berbeda, lengkap, sistematis dan dalam (**IN DEEP RESEARCHER**)

Kedudukan teori dalam penelitian ...

Model Deduksi; teori masih menjadi alat peneliti (menemukan masalah, membangun hipotesis, pengamatan, menguji data) = deskriptif kualitatif




Model Induksi; tak perlu tahu suatu teori dan langsung pengamatan. Teori tdk penting, namun data sgt penting untuk menemukan/ membangun teori. *Grounded theory of researcher:* "teori dapat mempengaruhi pandangan peneliti" → kebaharuan teori.



Kualitatif-verifikatif : pemahaman data sebelumnya cukup kuat, pemahaman teori membantu membuka kerahasian data

Kategorisasi Model akhir penggunaan teori



Sikap keilmiahan - menuju Question of topics

1. topic tersebut dapat **DIJANGKAU**, dikuasi (*manageable topic*)?
2. data-data **TERSEDIA** secukupnya (*obtainable data*)?
3. topic tersebut **PENTING** untuk diteliti (*significance of topic*)?
4. topic tersebut cukup **MENARIK** minat untuk diteliti dan dikajikan (*interested topic*)?

“jangan sekali-kali melakukan apapun yang ada di luar jangkauan kemampuan diri sendiri”.

Penajaman Topik - Permasalahan

Peneliti mempunyai
Background keilmuan
tertentu (dari
Pendidikan dan atau
Pengalaman kerja)



Contoh 1 : state of the art (novelty) riset

State of the art penelitian Pola Pergerakan Spasial

Urban Spatial Structure

Concentric Zone Theory
Burgess, 1923

Sector Theory
Hoyt, 1939

Multiple Nuclei Theory
Harris & Ullman, 1945

Spatial Distribution of Land Value

Urban Land Economics
Retcliff, 1949

TIK
Teori History
Alonso, 1950

Teori & Konsep pendukung
yang akan ditinjau kembali

Teori & konsep yang
melatarbelakangi

TIK

Desentralisasi
lokasi
perusahaan,
perkantoran,
pusat belanja

Bleeker, 1994;
Stilwell, 1995
Castells, 1996;
Graham &
Marvin, 1996;
Anas, 1998

Penurunan
volume
pergerakan
penduduk
pusat-
pinggiran kota

Stilwell 1995
Graham &
Marvin, 1996

Pengurangan
waktu & biaya
pergerakan
Hanson, 1995
Hall, 1998
Plaut, 2000
Gomes &
Casadiego,
2002,
Graham, 2004
Friedman, 2006
Graham, 2006

SEBARAN LOKASI FASILITAS EKONOMI

PERGERAKAN PENDUDUK

Urban System

Central Place Theory
Christaller, 1933

Economic of Location
Losch, 1939

The Pattern of Land Value
Knos, 1962

Urban Land Value Surface
Berry, 1963

Urban land use pattern
Alonso, 1964

Urban
Sprawl

SENTRALISASI
membentuk wil perkotaan
(sharing fasilitas)

Suburbanisasi
kegiatan bisnis,
harga lahan murah
Stilwell, 1995

Relokasi retail pada
lokasi permukiman
Sohn, 2005

peran aksesibilitas

DESENTRALISASI
Karena TIK
& Perkembangan peri-peri (urban sprawl)

substitusi TIK

Kiat : topik-kasus-minat

- **BANYAK BACA PAPER**, lihat bagaimana para peneliti menuliskan hasil penelitiannya, “**tiru alurnya**”- TAPI TIDAK NYONTEK KALIMATNYA (maks 10% original), dan modifikasi tulisan yang kita buat.
- Memilih paper di journal berkualitas, ***rule-of-thumb*** dalam dunia penelitian bahwa **80-90%** paper ilmiah di dunia ini disajikan dengan “buruk”.
- Paling tidak supaya tidak tersesat dalam studi literatur, patokan di journal yang terindeks oleh ISI atau **SCOPUS (Journal Impact Factor, Eigenfactor Score, Scimago Journal Rank, atau Source Normalized Impact per Paper (RSM, 2015)**

PENULISAN ARTIKEL ILMIAH - journal

TIPS MENULIS ARTIKEL ILMIAH

- **Rancang publikasi** sejak membuat proposal penelitian
- **Rancang riset** dengan ‘teliti’
- **Pilih jurnal** dan pelajari *guideline for authors* dengan seksama (berubah dengan cepat!) → sesuaikan manuskrip
- *Peer-review + proof reading + periksa duplikasi*
- **Hindari predatory journals**

Instructions for the preparation of files for the Jurnal Internasional Perencanaan dan Pembangunan (International Journal of Development and Planning)

Manuscript Structure

- Abstract
- Introduction
- Body of Article
 - Results
- Discussion and Conclusions
- Acknowledgements
 - References
- Figures and tables

TEXT LAYOUT

- Area kertas pengetikan semua materi naskah (L: 200 mm x 130 mm), teks dan gambar).
- Ukuran A4 (margin: 48.5 mm atas/bawah; kiri/kanan 40 mm).
- Margin harus konsisten & nomor halaman dan spasi tunggal
- Times New Roman 10/Times New Roman (normal) tidak dicetak tebal.
- Semua teks harus penuh 1 kolom (tabel dan gambar tidak terputus).

FIRST PAGE (HALAMAN PERTAMA)

Berisi judul artikel, nama penulis, organisasi dan negara, abstrak, kata kunci.

Abstract text (Abstrak)

Abstrak/ringkasan yang akurat, berdiri sendiri dari isi makalah. Catatan:

- Abstrak harus 150-300 kata.
- Ditulis sebagai satu paragraf, tidak mengandung tabel/gambar, rumus matematis.
- Abstrak dibuat dengan baik dan secara gramatikal benar.
- Pengetikan Times New Roman (FS: 9)

Keywords (Kata Kunci)

- Sangat penting menggambarkan konten unik dari makalah
- Maksimum sepuluh kata kunci (mempermudah pencarian online)
- Baris baru setelah abstrak, tanpa spasi, huruf Times New Roman (FS 9) italic.

OTHER PAGES (halaman berikutnya)

For the second and following pages, use the full 200 x 130 mm area and commence keying, in one column, at the top of this area for each subsequent page, inserting tables and figures as required.

1. MAIN SECTION HEADINGS

1.1 Second level headings

1.1.1 Third level headings

Paragraphs (Paragraf)

Displayed equations (Manampilkan Persamaan)

Tables (Tabel-tabel)

Table body

Figure Captions (Keterangan Gambar)

PHOTOGRAPHS, ILLUSTRATIONS, FIGURES, DIAGRAMS, MAPS ETC.

REFERENCES

BOOK

- [1] Brebbia, C.A., Telles, J.C.F. & Wrobel, L.C., *Boundary Element Techniques*, Springer-Verlag: Berlin and New York, pp. 11–13, 1984.
- [2] Nardini, D. & Brebbia, C.A., Boundary element integral formulation of mass matrices for dynamic analysis. *Topics in Boundary Elements Research*, ed. C.A. Brebbia, Springer-Verlag: Berlin and New York, pp. 191–207, 1995.
- [3] Brebbia,C.A. & Aliabadi, M.H., (eds), *Industrial Applications of the Boundary Element Method*. Computational Mechanics Publications: Southampton and Boston, 1993.

PERIODICAL

- [4] Bratanow, T. & De Grande, G., Numerical analysis of normal stress in non-Newtonian boundary layer flow. *Engineering Analysis*, **6**(2), pp. 20–25, 1985.

ARTICLE FROM PUBLISHED WIT CONFERENCE PROCEEDINGS

- [5] Garcia, J. Cerdeira, R., Tavares, N. & Coelho, L.M.R., Personal exposure to particle concentration in a busy street. *WIT Transactions on Ecology and the Environment*, vol. 157, WIT Press: Southampton and Boston, pp. 35–47, 2012.

ARTICLE FROM PUBLISHED CONFERENCE PROCEEDINGS

- [6] Osifchin, N. & Vau, G., Power considerations for the modernization of telecommunications in Central and Eastern European and Former Soviet Union (CEE/ FSU) countries. *Proceedings of the Fourth Annual Portable Design Conference*, pp. 137–142, 1997.

PAPER PRESENTED AT A CONFERENCE, BUT UNPUBLISHED

- [7] Nimir, H.A., Defuzzification of the outputs of fuzzy controllers. Presented at *5th International Conference on Fuzzy Systems*, Cairo, Egypt, 1996.

PERSONAL COMMUNICATION

- [8] Person, A.B. Personal communication, 27 January 1998, Head of Mech. Engineering, Another University, London, UK.

ONLINE SOURCES

- [9] Test Methods for Evaluating Solid Wastes, Physical/ Chemical Methods; U.S. Environmental Protection Agency, Office of Solid Wastes, SW-846 Online. www.epa.gov/epaoswer/hazwastes/test/main.htm. Accessed on: 23 Jun. 2015.
- [10] United States Environmental Protection Agency (USEPA). Office of Solid Waste and Emergency Response Web Site, Washington DC, www.epa.gov/swerosps/bf. Accessed on: 13 Feb. 2014.
- [11] CEDRE, www.cedre.ifremer.fr

FOOTNOTES

Footnotes to the text should NOT be used.
Catatan kaki ke teks TIDAK harus digunakan.

CONSISTENCY OF STYLES

Please be consistent in the use of punctuation, figures, capital letters and abbreviations, and even more importantly in nomenclature and symbols.

LANGUAGE

It is important that the grammar and spelling of your paper is as correct as possible. If English is not your first language, please have an English speaking colleague check your paper for you.

“Kegagalan untuk mematuhi petunjuk ini dapat menyebabkan kertas makalah Anda dikembalikan
dan menyebabkan keterlambatan dalam publikasi”

Model simulation of Building Intensity on Optimization Roadway Level of Service direction

Murshal Manaf*, Citra Kusumawati Rajab^b

^a City and Regional Planning Study Program, Faculty of Engineering, Bosowa University, Jl. Urip Sumohardjo KM. 4, Makassar, Indonesia 90231
^b Corresponding email: uchalmn@gmail.com

ABSTRACT

The high volume of traffic movement in corridor artery road Jenderal Sudirman - Dr. Sam Ratulangi of the Makassar city, resulted from the intensity of land use for business activities, trade and services causing problems of transportation. This study aims to analyze the importance of the effect of building intensity in the road corridor and formulate the direction of building intensity to optimize the level of a service road. The variable test influence that contributes to trip attraction, including traffic volume, road capacity, a degree of saturation, ground floor coefficient and building floor. The direction approach of the intensity of people / building units is an example case to formulate the optimization of service level of the road network. The method of multiple linear regression analysis was used to describe a descriptive quantitative influence test. The results showed Level of Service road corridors including critical (D). The movement generated by land use amounted to 4,776 pcu/hour or 87% of total movement. Variables that affect the magnitude of the trip attractions are group changes of the recommended activities, such as Mother and Child Hospital, Horison Hotel, Wisma Kalla, Ratulangi Medical Center and School Foundation. For changes to the type of activity group that is prohibited, among others: PT. PLN, KFC, Mall Ratu Indah, and New Agung store. The results of a simulation model of influence of activity type on building and limit of the floor area of the building; and the number of people/buildings using DS = 0.74 with the trip ceiling of 3,207.94 pcu / hour, resulting in the maximum average floor area of the building varies.

Keywords: Intensity, land use, transportation, trip attraction

1. INTRODUCTION

As the center of various activities in eastern Indonesia, Makassar City is in need of a good transportation system to anticipate the possibility of bad traffic condition in the future. In order for transportation investment policy to succeed so well, it is very important to understand the large pull of transport movement and movement patterns of vehicles that occur in the present and also in the future.

The assessment of traffic flow on the roads in Makassar is not proportional, so there are overloaded volume roads that exceed their capacity; on the other hand, there is a very low

volume of roads. Therefore, the symptoms of congestion, chaotic in sections the standards are likely to continue to rise. In addition, the increase of trip generation and trip attractions in Makassar City also tends to increase due to uneven distribution of land use that not supports each other.

Based on one of the traffic jam observation of Makassar City, transportation problems are caused by various types of activities in Jenderal Sudirman - Dr. Sam Ratulangi Street is the high intensity of land use. The trip attraction on land use for business, trade, and services contributes to the potential for more dynamic movements. Due to

the use of land that has activities, then the trip attraction that ultimately affects the transport volume using the road.

Therefore, the required intensity of building based on road capacity as a constraint [1]. When using spatial planning, the level of service is low, means the maximum intensity of the building is too high for the specified function. In the meantime, if the high level of the service road means that the maximum intensity of the building can still be served by the existing road capacity.

A trip attraction is a modeling stage that estimates the number of movements coming from a zone and the amount of movement that is attracted to a land use or zone [2]. Traffic movement is a land-use function that generates trip generation [3]. The trip attraction includes traffic that leaves a location and traffic that goes to or arrives at a location. The result of output from the calculation of the traffic in the form of the number of vehicles, people, or freight of goods per unit time, such as vehicles/hours [4]. Trip attraction depends on two aspects: land use type and the amount of activity and intensity of land use [5].

2. THE STUDY METHOD

The research location chosen in this study is corridor artery road Jenderal Sudirman - Dr. Sam Ratulangi of the Makassar city. The variables used are those that contribute to the trip attraction, including traffic volume, road capacity, degree of saturation, ground floor coefficient and building floor. While the optimization level of road network services is done by the approach the direction of the intensity of people/building units. To explain the test of influence descriptive

quantitative used multiple linear regression analysis method [6].

A. Traffic Volume

The traffic volume study aims to obtain data on the number of vehicle movements at selected points through the road system.

Equation:

$$V = \frac{n}{T}$$

Where:

- V= a volume of traffic passing through a point (pcu/hour).
n= the number of vehicles passing a road (pcu/hour).
T= observation time

B. Road Capacity

To analyze the capacity of roads in Indonesia using the Indonesia Road Capacity Manual (Dirjen Bina Marga, 1997) and the Indonesian Road Kapaitas Guideline 2014.

Equation:

$$C = C_o \times F_{Cw} \times F_{Cs} \times F_{Csp} \times F_{Csf} \times F_{Cs}$$

Where:

- C = Road capacity (pcu/hour)
C_o = Basic capacity (pcu/hour)
F_{Cw} = Traffic width adjustment factor
F_{Csp} = Segregation adjustment factor (only for undivided road).
F_{Csf} = roadside adjustment factor / kerb
F_{Ccs} = City size adjustment factor

C. Degree of Saturation

The degree of saturation is a description of whether a road segment has a problem. Based on the assumption that if the road is closer to

Publikasi Internasional


- Jurnal



- Seminar



Tetapi hati-hati dengan yang ini...



DIKTI:

- Jurnal Nasional palsu
- Jurnal tidak terakreditasi
- Jurnal Internasional palsu
- Peringatan oleh Jeffrey Beall

TEKNIK ILUSTRASI - TABEL - GAMBAR

ILUSTRASI : PENGGAMBARAN AKAN SESUATU.

BERUPA TABEL DAN GAMBAR (GRAFIK, FOTO, DIAGRAM, BAGAN, PETA, DENAH, DAN GAMBAR LAINNYA).

Table 1.2. Productivity of Recently Cut Commercial Forest Land in the United States, Including Coastal Alaska

Type of Ownership	Total Commercial forest land, million acres	Operating areas, million acres	Operating area by productivity classes, percent		
			Upper level	Middle level	Lower level
Private:					
Forest industries +	62	44	77	19	4
Farm	165	53	41	37	22
Other private	131	42	52	28	20
Public	131	96	80	17	3
Total	489	235			

* Field examinations limited to operating units in which cutting had taken place from Jan. 1, 1947, through 1953.

+ The pulp and paper group leads with an average of 84 percent in the upper level.

TABLE 4. Body weights at the beginning and end of lactation, body weight gain, drymatter and gross energy intakes, milk gross energy, and gross efficiency of milk synthesis during 84-d lactation, and mammary indices at the end of lactation in the control and superovulated ewes fed at low or high plane of nutrition.

	Plane of nutrition								Level of significance		
	Low ¹				High ²						
	Control ³ (n = 9)		Superovulation ⁴ (n = 4)		Control ³ (n = 9)		Superovulation ⁴ (n = 8)		Super-	Plane of	Interaction
BW at the start of lactation, kg	20.61 ± 0.98	21.88 ± 0.72	23.61 ± 1.39	23.44 ± 1.28	ns	ns	ns	ns			
BW at the end of lactation, kg	21.56 ± 0.72	24.63 ± 1.38	25.22 ± 1.26	25.25 ± 1.71	ns	ns	ns	ns			
BW gain, kg/84 d	0.94 ± 0.59	2.75 ± 0.83	2.42 ± 0.55	1.81 ± 0.76	ns	ns	ns	ns			
Total DMI, kg	66.17 ± 1.48	72.39 ± 0.83	56.37 ± 1.32	62.68 ± 2.31	**	**	ns	ns			
Total gross energy intake, Mcal	276.36 ± 6.52	301.28 ± 3.44	214.17 ± 4.51	255.72 ± 13.21	**	**	ns	ns			
Total milk gross energy, Mcal	24.32 ± 2.42	40.06 ± 2.80	28.85 ± 3.40	40.68 ± 2.38	**	ns	ns	ns			
Milk efficiency, %	8.88 ± 0.90	13.32 ± 1.01	13.46 ± 1.57	16.12 ± 1.07	*	**	ns	ns			
Mammary DFFT, ⁵ g	9.86 ± 0.52	15.84 ± 1.38	12.04 ± 1.27	14.26 ± 1.23	**	ns	ns	ns			
Total mammary DNA, g	0.33 ± 0.05	0.79 ± 0.06	0.43 ± 0.07	0.62 ± 0.07	**	ns	ns	ns			
Total mammary RNA, g	0.14 ± 0.02	0.25 ± 0.02	0.19 ± 0.04	0.25 ± 0.03	**	ns	ns	ns			

¹Ewes fed with diet contained 12% CP and 65% TDN.

²Ewes fed with diet contained 15% CP and 75% TDN.

Table 11. Trip ceiling section of each activity type in both scenarios.

Activity Building	Scenario-1		Scenario-2	
	Trip Ceiling Total (pcu/hour)	Trip Ceiling proportion (pcu/hour)	Trip Ceiling Total (pcu/hour)	Trip Ceiling proportion (pcu/hour)
Mother and child hospital	1.286,4	74,61	3207,9	186,06
Horison Hotel		43,73		109,06
Wisma Kalla		115,77		288,71
PT. PLN		69,46		173,22
Ratulangi Medical Centre		37,3		93,03
KFC		73,32		182,85
Mall Ratu Indah		429,65		1071,45
New Agung		308,73		769,9
School Foundation		133,78		333,62
Total		1286,4		3207,9

Tabel 2. The value of BCR and FAR of Jenderal Sudirman - Dr. Sam Ratulangi Street

Activity Building	Land Area (m ²)	Basic of Building (m ²)	BCR	Building Floor (m ²)	FAR
1	2	3	4	5	6
Mother and child hospital	1625	1300	0,8	2470	1,52
Horison Hotel	3869	3404,72	0,88	12264,7	3,17
Wisma Kalla	5363	4290,4	0,8	25152,5	4,69
PT. PLN	4689	3891,87	0,83	16223,9	3,46
Ratulangi Medical Centre	5184	4665,6	0,9	19077,1	3,68
KFC	3736	3175,6	0,85	6014,96	1,61
Mall Ratu Indah	23090	20072	0,8	39140,4	1,56
New Agung	3493	3213,56	0,92	13098,8	3,75
School Foundation	2306	1729,5	0,75	5695,82	2,47

Table 1. The standardization of service levels in Indonesia

LoS	City size adjustment factor (FC _{es})	Limits (V/C)
A	Free traffic flow conditions with high speed and low traffic volume	0,00 – 0,20
B	The current is stable, but the operating speed begins to be limited by traffic conditions	0,20 – 0,44
C	The current is stable, but the speed and motion of the vehicle are controlled	0,45 – 0,74
D	The current is close to stable, the speed can still be controlled. V / C is still tolerable	0,75 – 0,84
E	The unstable current of speed sometimes stops, demand is near capacity	0,85 – 1,00
F	Forced flow, low speed, volume above capacity, long line (stuck)	≥ 1,00





FIG. 2. Semi-logarithmic plots of the concentration-response relationships to tetrodotoxin (TTX) and saxitoxin (STX) in (A) rainbow trout and (B) Arctic char. Average response magnitude is represented as a percentage of that induced by the standard stimulant, 10^{-3} mol L-proline/L. Points represent mean \pm SE of 7-14 fish.





Figure 3. Effects of powdered cicer milkvetch or alfalfa on fungal (*Neocallimastix frontalis* EB 188) growth as carbohydrate source.



A: Control (Cellulose medium), B: Control+AMF 1 μ l/ml, C: Control+ALF 1 ml+AMF 1 μ l/ml, D: Control+ALF 1 ml+MF 1 μ l/ml, E: Control+ALF 1 ml+AMF 0 μ l/ml, F: Control+CMV 1 ml+AMF 1 μ l/ml.

Figure 4. Effects of cicer milkvetch or alfalfa extract on fungal (*Neocallimastix frontalis*, FB 188) growth in the presence of *Aspergillus oryzae* fermentation extract treatment.




FIGURE 7.—Composite figure with simple vertical bar graphs in the lower two panels and grouped offset bars in the upper two panels (shading aids contrast). Data are for positions of trout in a laboratory stream; stippled portions of bars are the daily positions of dominant fish. From Fausch and White (1986).




FIGURE 5.—Response surface graph of the relation between bone density, mineral:collagen ratio, and vertebral strength (rupture), for striped bass from four locations (means of the three characteristics at each location are shown by stars). From Mehrle et al. (1982).




Figure 4. Scanning electron micrographs of unheated samples of pig skin collagen polymer with or without MTGase (0.5% w/w). Magnification is 4,500 X. (A) Native collagen; (B) Incubated at 37°C for 24 h without MTGase; (C) Incubated at 37°C for 24 h with MTGase; (D) incubated at 50°C for 6 h without MTGase; (E) Incubated at 50°C for 6 h with MTGase. The calibration bar represents 16 μ m.






Figure 5. Scanning electron micrographs of heated samples of pig skin collagen incubated at 37°C for 24 h with or without MTGase (0.5% w/w). Magnification is 4,500 X. (A) Heated at 80°C for 2 min followed by incubation without MTGase; (B) Heated at 80°C for 2 min followed by incubation with MTGase; (C) Heated at 100°C for 2 min followed by incubation without MTGase; (D) Heated at 100°C for 2 min followed by incubation with MTGase. The calibration bar represents 16 μ m.





Fig. 3. Condition of loading and discharging passenger in Station and the road

EFFECTS OF CICER MILKVETCH ON MICROORGANISMS



Scanning Electron Micrograph of fungi colonization
(Left: Control, Right: CMV treatment)



Transmission Electron Micrograph of bacterial colonization
(Left: Control, Right: CMV treatment)

Figure 1. Electron micrograph of rumen microbial colonization on plant materials with or without cicer milkvetch extract treatment.




Fig. 5. Path diagram - model structural





Fig. 6. Model of location effectivitas analysis





Etika ilmiah_etika publikasi



ETIKA...

- Membangun dan menjaga integritas
- Tanggungjawab pribadi dan komunitas
- *High-level academic excellence*
- Pelanggaran etika:
 - **Cheating** – nyontek
 - **Plagiarisme** – mengambil milik orang lain
 - **Falsification** – “berbohong”

JURNAL BEREPUTASI MENJUNJUNG TINGGI ETIKA...



Pelanggaran etika


- Cheating: nyontek lebih banyak terjadi di kelas
- Plagiarisme:
 - “Copy-paste”
 - *Self-plagiarism*
- Falsification
 - Mengambil keuntungan pribadi → publikasi kembar
 - Berbohong tentang data & tulisan
 - Berbohong tentang pengelolaan

Fabrikasi data --→ ‘mempabrik’ data atau membuat-buat data yang sebenarnya tidak ada atau lebih umumnya membuat data fiktif.



Khusus Plagiarisme...

UU Hak
Cipta
tahun 2002





SANKSI_Mahasiswa

No	Pelaku	Ketentuan yang Dilanggar	Urutan Sanksi	Sanksi Tambahan	Sanksi Lain Menurut Peraturan Per-UU-an
I	MAHASISWA	Pasal 10 ayat (4)	<ol style="list-style-type: none">1. Teguran2. Peringatan tertulis3. Penundaan pemberian sebahagian hak mahasiswa4. Pembatalan nilai satu atau beberapa mata kuliah yang diperoleh mahasiswa5. Pemberhentian dgn hormat dari status sbg mahasiswa6. Pemberhentian tdk dengan hormat7. Pembatalan ijazah apabila mahasiswa telah lulus		<p>UU Sisdiknas:</p> <p>Mempergunakan karya ilmiah jiplakan untuk memperoleh gelar akademik, profesi, vokasi dipidana</p> <p>penjara paling lama 2 tahun dan/atau denda paling banyak Rp 200 juta</p>

SANKSI_Dosen/Peneliti/Tendik

No	Pelaku	Ketentuan yg Dilanggar	Urutan Sanksi	Sanksi Tambahan	Sanksi Lain Menurut Peraturan Per-UU-an
2	DOSEN/ PENELITI /TENDIK	Pasal 11 ayat (6)	<ol style="list-style-type: none"> 1. Teguran 2. Peringatan tertulis 3. Penundaan pemberian hak 4. Penurunan pangkat dan jabatan akademik/fungsional 5. Pencabutan hak untuk diusulkan sbg profesor/jenjang utama bagi yg memenuhi syarat 6. Pemberhentian dengan hormat dari status dosen/peneliti/tendik 7. Pemberhentian tdk dgn hormat dari status sebagai dosen/peneliti/tendik 8. Pembatalan ijazah yg diperoleh dari PT ybs 	<p>Apabila dosen/peneliti/tendik menyandang sebutam profesor/jenjang utama:</p> <p>Diberhentikan dari jabatan profesor/ jenjang utama</p>	<p>UU Sisdiknas:</p> <p>Mempergunakan karya ilmiah jiplakan untuk memperoleh gelar akademik, profesi, vokasi dipidana</p> <p>penjara paling lama 2 tahun dan/atau denda paling banyak Rp 200 juta</p>

conclusion

- Sikap keilmiahana dan pencarian kebenaran
- Deduktif dan Induktif = ***reflective thinking***
- Question of topics_ *manageable, obtainable, significance, interested*
- Ilustrasi “jangan dibiarkan berbicara sendiri tanpa penjelasan/narasi ilmiah”
- ***ethics & atitude*** *is value of scientific*

referensi

- Buckley, J.W.; M.H. Buckley; dan Hung-Fu Chiang. 1976. *Research Methodology & Business Decisions. National Association of Accountants, New York.*
- Leedy, Paul D. 1997. *Practical Research: Planning and Design. Sixth Edition. Prentice Hall, Upper Saddle River, New Jersey.*
- Djunaedi, Achmad, 2007. **Kiat-Kiat Mencari Topik Tesis dan Melakukan Kajian Pustaka, UGM, Yogyakarta.**
- Manaf, Murshal, 2005. *Handout Reseach of Methodology for P.hD, ITB, Bandung.*
- Manaf, Murshal, 2019. **Pedoman Disertasi Prodi Doktor PWK, Unibos. Makassar.**
- Manaf, Murshal, 2022. **Handout Mk. Filsafat Ilmu, Pendekatan Sistem dan Teori PWK Lanjutan, Prodi Magister dan Doktor PWK, Unibos, Makassar.**
- Pratapa, Suminar, 2016. **Menulis Artikel. Penulisan Artikel Ilmiah Nasional, LPPM Universitas Muhammadiyah Mataram, Mataram.**



terima kasih SELAMAT BERKARYA